

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	1209	385/89	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:49
2	BRS	176	((mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:38
3	BRS	12	((mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5 and rectang\$5 and (recess or cavity) and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:49
4	BRS	0	20010051029.URPN.	USPAT	2002/12/03 10:23
5	BRS	31718	murata.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:24
6	BRS	446	murata.in. and akihiro	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:28
7	BRS	1	((murata.in. and akihiro) and ((mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body) and (electronic near4 (part or element)) and interconnect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:29
8	BRS	219	((murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:29
9	BRS	1	((murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly))) and (molded near3 body)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:38
10	BRS	3	((murata.in. and akihiro) and (mount or (mount near\$3 (device or apparatus or assembly))) and (electronic near4 (part or element)) and interconnect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 10:40
11	BRS	385	385/89 and mold\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 12:34

	Type	Hits	Search Text	DBs	Time Stamp
12	BRS	227	(385/89 and mold\$3) and (recess or cavity) and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 12:39
13	BRS	69	((385/89 and mold\$3) and (recess or cavity) and (optic\$3 near3 fiber)) and hole and (conduct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 12:36
14	BRS	1	"4186995".PN.	USPAT	2002/12/03 12:26
15	BRS	178	385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 14:33
16	BRS	107	(385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and (recess or cavity) and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 12:36
17	BRS	52	((385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and (recess or cavity) and (optic\$3 near3 fiber)) and (interconnect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 12:40
18	BRS	76	(385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 14:43
19	BRS	38	((385/89 and (mold\$3 near5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near3 fiber)) and (interconnect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 12:41
20	BRS	2331	385/88	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 14:33
21	BRS	2263	385/147	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 14:33
22	BRS	4693	385/89 or 385/88 or 385/147	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 08:40

	Type	Hits	Search Text	DBs	Time Stamp
23	BRS	429	((385/89 or 385/88 or 385/147) and (mold\$3 near\$5 (body or device or assembly or plug or apparatus or connector)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03 14:34
24	BRS	150	((385/89 or 385/88 or 385/147) and (mold\$3 near\$5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near\$6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near\$3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 08:01
25	BRS	150	((385/89 or 385/88 or 385/147) and (mold\$3 near\$5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near\$6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near\$3 fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 08:41
26	BRS	66	((385/89 or 385/88 or 385/147) and (mold\$3 near\$5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near\$6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near\$3 fiber) and interconnect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 08:06
27	BRS	58	((385/89 or 385/88 or 385/147) and (mold\$3 near\$5 (body or device or assembly or plug or apparatus or connector))) and ((recess or cavity) near\$6 (body or device or assembly or plug or apparatus or connector)) and (optic\$3 near\$3 fiber) and interconnect\$4 and mount\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 08:27
28	BRS	4693	385/89 or 385/88 or 385/147	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 08:40
29	BRS	11	(385/89 or 385/88 or 385/147) and (mold\$3 near\$5 (body or device or assembly or plug or apparatus or connector)) and ((bonding near\$4 pad) near\$8 interconnect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/04 08:44